



AN ISO 9001 : 2008 COMPANY

Geeta Gold™
SUBMERSIBLE PUMPSETS

Our Quality & Technology Profile



AUTO ARGON MACHINE



ROTOR BALANCING MACHINE



FULLI AUTO TESTING SYSTEM



HYDRAULIC PRESS MACHINE



ELCTO Rotor BRAZING MACHINE



CNC MACHINE

Geeta Gold™
SUBMERSIBLE PUMPSETS

DEALER :



Mfg. By: S.S.C. AHMEDABAD-25.



The Best Quality... In a Best Performance...

Geeta Gold™
SUBMERSIBLE PUMPSETS

V4, V5, V6, V7 & V8 PumpSet

गीता गोल्ड पंप एक बार लगाएँ,
और हर साल हरियाली पाएँ



AN ISO 9001 : 2008 COMPANY



INDEX

Sr. No.	CONTENT	Page No.
1	V4 Submersible Pumpsets - Radial Flow Series	2 - 3
2	V6 Submersible Pumpsets - Radial Flow Series	4 - 5 - 6
3	V6 Submersible Pumpsets - Radial Flow - 50 Feet Series	7 - 8
4	V6 Submersible Pumpsets - Mixed Flow - Series	9 - 10
5	V6 Submersible Pumpsets - Mixed Flow - H.H.F. Series	11
6	V6 / V7 Janta Submersible Pumpsets	12
7	V6 / V8 Janta Submersible Pumpsets	13
8	Openwell Submersible Pumpsets - Premium Series	14
9	Only Pump / Only Motor Price List	15





Geeta Gold™
SUBMERSIBLE PUMPSETS



Geeta Gold™
SUBMERSIBLE PUMPSETS

TERMS & CONDITIONS :

- (1) **Delivery :** Ex. our Works. Orders received shall be dispatched within 5/7 days from the date of receipt of your confirmed orders.
- (2) **Taxes & Duties :** Extra as applicable which are ruling at the time of dispatch.
- (3) **Payment :** Against Delivery.
- (4) Order once placed shall not be altered or cancelled.
- (5) **Warranty :** 6 Months from our dispatch date for any manufacturing defect only.
If any part found defective within the warranty period, the same shall be replaced free of cost on receipt of the same at our works duly FREIGHT PAID.
- (6) No Warranty/Guarantee for Electrical Faults caused due to low voltage burning, Motors run on Capacitors, Excess sand in Bore Wells and mis handling of the Sets at site by unauthorized and untrained Mechanics.



V4 Submersible Pumpset

Radial Flow

SUITABLE FOR 100mm BOREWELL OR ABOVE (Min. Bore Dia. 100mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply



MODEL SER- CORA 1			
MODEL	HP	Stage	Out Let Size Inch
SER-1	0.5	8	1.25"
SER-1	0.5	9	1.25"
SER-1	0.5	10	1.25"
SER-1	0.75	12	1.25"
SER-1	0.75	14	1.25"
SER-1	1.0	15	1.25"
SER-1	1.0	16	1.25"
SER-1	1.0	18	1.25"
SER-1	1.5	22	1.25"
SER-1	1.5	24	1.25"
SER-1	2.0	30	1.25"
SER-1	2.0	32	1.25"

Discharge in LPM							Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
50	40	35	30	25	18	10		
16	20	28	32	34	38	41	8750	-
18	23	32	36	39	43	46	8900	-
20	25	35	40	43	48	51	9100	-
24	30	42	48	52	57	61	9500	-
28	35	49	56	60	67	71	9850	-
30	38	53	60	65	71	77	10550	-
32	40	56	64	69	76	82	10700	-
36	45	63	72	77	86	92	11100	-
44	55	77	88	95	105	112	12450	12450
48	60	84	96	103	114	122	12900	12900
60	75	105	120	129	143	153	14800	14800
64	80	112	128	138	152	163	15200	15200

MODEL SER- CORA 2			
MODEL	HP	Stage	Out Let Size Inch
SER-2	0.5	7	1.25"
SER-2	0.75	9	1.25"
SER-2	0.75	10	1.25"
SER-2	0.75	11	1.25"
SER-2	1.0	12	1.25"
SER-2	1.0	14	1.25"
SER-2	1.5	18	1.25"
SER-2	1.5	20	1.25"
SER-2	1.5	21	1.25"
SER-2	2.0	22	1.25"
SER-2	2.0	24	1.25"
SER-2	2.0	25	1.25"
SER-2	2.0	26	1.25"
SER-2	2.0	28	1.25"

Discharge in LPM							Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
75	70	55	45	40	30	15		
14	18	25	28	31	34	37	8550	-
18	23	32	36	40	44	48	9000	-
20	25	35	40	44	49	53	9300	-
22	28	39	44	48	53	58	9450	-
24	30	42	48	53	58	64	10000	-
28	35	49	56	62	68	74	10350	-
36	45	63	72	80	87	95	11750	11750
40	50	70	80	83	97	106	12100	12100
42	53	74	84	92	102	111	12300	12300
44	55	77	88	97	107	117	13400	13400
48	60	84	96	106	116	127	13750	13750
50	63	88	100	110	121	133	13900	13900
52	65	91	104	114	126	138	14100	14100
56	70	98	112	123	136	148	14450	14450

MODEL SER- CORA 3			
MODEL	HP	Stage	Out Let Size Inch
SER-3	0.5	5	1.25"
SER-3	0.5	6	1.25"
SER-3	0.75	7	1.25"
SER-3	1.0	10	1.25"
SER-3	1.5	12	1.25"
SER-3	1.5	15	1.25"
SER-3	2.0	18	1.25"
SER-3	2.0	20	1.25"
SER-3	3.0	25	1.25"
SER-3	3.0	30	1.25"

Discharge in LPM							Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
110	100	95	85	70	55	25		
12	15	18	20	23	25	27	8250	-
14	18	21	24	27	30	32	8450	-
17	21	25	28	32	35	38	8650	-
24	30	35	40	45	50	54	9750	-
29	36	42	48	54	60	65	10800	10800
36	45	53	60	68	75	81	11400	11400
43	54	63	72	81	90	97	12900	12900
48	60	70	80	90	100	108	13300	13300
60	75	88	100	113	125	135	17500	17500
72	90	105	120	135	150	162	18500	18500



138 KSB MOTOR & COPPER ROTOR		
HP	STAMPING LENGTH	MOTOR KSB
4.00	130	15700
5.00	150	16200
6.00	175	16700
7.5	210	17200
7.5	230	18300
10.00	240	19036
12.50	280	20700
15.00	320	22135
17.50	355	24680
20.00	406	26088
20.00	430	27700
25.00	450	29259
25.00	500	31600



Less..... %

ALL TYPE PUMPS



STAGE	K TYPE S.S. Febr.	262 S.S.Moding	271 S.S.Moding	302 S.S.Moding	NENO/305 45 FEET H.H.F
1					
2					
3	3900	4000	4800	4758	5009
4	4600	4970	5770	5810	6130
5	5300	5940	6740	6861	7252
6	6000	6910	7710	7914	8374
8	7400	8850	9650	10017	10617
10	8800	10790	11590	12121	12859
12	10200	12730	13530	14225	15103
14	11600	14670	15470		17347
15	12300	15640			18469
16	13000	16610			19591
18	14400	18550			21835
20	15800	20490			24079
22	17200				
24	18600				
25	19300				
30	22800				
35	26300				
40	29800				

Less..... %

V7 333 ONLY PUMP

333 LONG NRV Without BUSH IP		333 LONG NRV With BUSH IP	
STAGE	RATE	STAGE	RATE
2	5293	2	5693
3	7024	3	7424
4	8756	4	9156
5	10487	5	10887
6	12219	6	12619
7	13950	7	14350

V8 384 ONLY PUMP

384 LONG NRV Without BUSH IP		384 LONG NRV With BUSH IP	
STAGE	RATE	STAGE	RATE
2	6589	2	6839
3	8531	3	8781
4	10473	4	10723
5	12415	5	12665
6	14356	6	14606

Less..... %



Price List Horizontal Openwell Submersible Pumpset

Single Phase A/c 230 Volts Head in Meters										Copper Rotor
12	14	16	18	20	24	28	30		Price (Rs.)	
140	120	80	50	10	-	-	-	With Penal	6700	
225	200	175	166	80	50	20	-	With Penal	12000	
490	460	410	380	300	210		-	With Penal	14700	
800	650	600	550	480	400	350	0	No Penal	15000	
645	625	600	585	560	500	430	0	No Penal	16100	

Three Phase A/c 415 Volts Head in Meters														Copper Rotor
0	12	15	18	21	24	28	30	33	36	40	42	Price (Rs.)		
800	750	650	550	480	400	350		-	-	-		13125		
750	675	575	500	460	420	380	250	0	-	-		13125		
900	875	850	800	720	650	500	380	250	-	-		14585		
750	720	700	680	600	650	500	430	300	0	-		14585		

Three Phase A/c 415 Volts Head in Meters																Copper Rotor
0	12	15	18	21	24	28	30	33	36	40	42	45	Price (Rs.)			
800	750	650	550	480	400	350	-	-	-	-	-	-	-			
750	675	575	500	460	420	380	300	200	-	-	-	-	-			
900	875	850	800	720	650	500	380	250	-	-	-	-	18550			
750	720	700	680	640	600	560	510	430	330	230	-	-	18550			
900	880	850	820	750	710	680	660	630	570	470	350	300	22925			
	-	1180	1130	1040	1000	940	860	760	650	500			22925			
	1600	1480	1385	1260	1210	1140	1000						-			
	1650	1530	1425	1300	1250	1170							-			



V7 Mono Set



V7 Mono Set



V9 Mono Set

Radial Flow



V4 Submersible Pumpset

SUITABLE FOR 100mm BOREWELL OR ABOVE (Min. Bore Dia. 100mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply

MODEL SER- CORA 5			
MODEL	HP	Stage	Out Let Size Inch
SER-5	0.75	5	1.25"
SER-5	1.0	7	1.50"
SER-5	1.0	8	1.50"
SER-5	1.5	9	2.0"
SER-5	1.5	10	2.0"
SER-5	2.0	12	2.0"
SER-5	2.0	14	2.0"
SER-5	2.0	15	2.0"
SER-5	2.0	16	1.50"
SER-5	3.0	18	2.0"
SER-5	3.0	20	1.50"
SER-5	5.0	30	2.0"
SER-5	5.0	32	2.0"

Head in Meter

Discharge in LPM								Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
135	125	110	100	85	65	30			
12	15	18	20	23	25	28		8300	-
17	21	25	28	32	35	39		9250	-
19	24	28	32	36	40	44		9450	-
22	27	32	34	41	45	50		10500	10500
24	30	35	34	45	50	55		10750	10750
29	36	42	48	54	60	66		12000	12000
34	42	49	56	63	70	77		12450	12450
36	45	53	60	68	75	83		12700	12700
38	48	56	64	72	80	88		12900	12900
43	54	63	72	81	90	99		16400	16400
48	60	70	80	90	110	110		16800	16800
72	90	105	120	135	150	165		21350	21350
77	96	110	128	144	160	176		21750	21750

MODEL SER- CORA 7			
MODEL	HP	Stage	Out Let Size Inch
SER-7	0.75	4	1.25"
SER-7	1.0	5	1.25"
SER-7	1.5	7	2"
SER-7	2.0	8	2"
SER-7	2.0	10	2"
SER-7	3.0	12	2"
SER-7	3.0	15	2"
SER-7	5.0	20	2"
SER-7	5.0	25	2"

Head in Meter

Discharge in LPM								Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
210	190	165	150	135	115	100			
10	12	14	16	18	20	22		8350	-
12	15	18	20	23	25	28		9100	-
17	21	25	28	32	35	39		10300	10300
19	24	28	32	36	40	44		11500	11500
24	30	35	40	45	50	55		11900	11900
29	36	42	48	54	60	66		15750	15750
36	45	53	60	68	75	83		16500	16500
48	60	70	80	90	100	110		20300	20300
60	75	88	100	113	125	138		21500	21500

MODEL SER- CORA 12			
MODEL	HP	Stage	Out Let Size Inch
SER-12	1.5	5	1.5"
SER-12	2.0	6	2"
SER-12	2.0	7	2"
SER-12	3.0	9	2"
SER-12	3.0	10	2"
SER-12	5.0	16	2"

Head in Meter

Discharge in LPM								Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
270	250	235	220	190	150	110			
8	10	13	15	18	22	25		10000	10000
9	12	15	18	21	26	30		11250	11250
11	14	18	21	25	31	35		11550	11550
14	18	23	27	32	40	45		15500	15500
15	20	25	30	35	44	51		15800	15800
24	32	40	48	56	70	81		20100	20100

MODEL SER- CORA 18			
MODEL	HP	Stage	Out Let Size Inch
SER-18	2.0	4	2"
SER-18	2.0	5	2"
SER-18	3.0	6	2"
SER-18	3.0	7	2"
SER-18	3.0	8	2"
SER-18	5.0	12	2"

Head in Meter

Discharge in LPM								Price(Rs.) S.P. Rate	Price(Rs.) T.P. Rate
410	390	340	300	230	170	125			
6	8	10	12	14	18	20		10600	10600
8	10	13	15	18	22	25		10900	10900
9	12	15	18	21	26	30		14800	14800
11	14	18	21	25	31	35		15100	15100
12	16	20	24	28	35	40		15400	15400
18	24	30	36	42	53	61		19300	19300

Radial Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 202 FEB. IMPELLER



MODEL SER-30			
MODEL	HP	Stage	Out Let Size Inch
SER-30	3.0	10	2"
SER-30	4.0	12	2"
SER-30	5.0	15	2"
SER-30	6.0	18	2"
SER-30	7.5	22	2"
SER-30	7.5	24	2"

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	175	160	140	130	100	75	0	
0	50	60	70	80	90	100		24000
0	64	74	84	94	104	120		25900
0	85	95	105	115	125	150		28500
0	106	116	126	136	146	180		31100
0	132	150	176	198	220	242		34400
0	144	168	192	216	240	265		35800

MODEL SER-40			
MODEL	HP	Stage	Out Let Size Inch
SER-40	3.0	8	2"
SER-40	4.0	10	2"
SER-40	5.0	12	2"
SER-40	6.0	14	2"
SER-40	6.0	15	2"
SER-40	6.0	16	2"
SER-40	7.5	18	2"
SER-40	7.5	20	2"
SER-40	10.0	24	2"
SER-40	12.5	30	2"

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	280	200	180	155	125	100	80	
0	40	48	56	64	70	80		22600
0	50	60	70	80	90	100		24500
0	60	72	84	96	108	120		26400
0	70	84	98	112	126	140		28300
0	75	90	105	120	135	150		29000
0	85	102	112	128	160	176		29700
0	90	108	126	144	162	180		31600
0	100	120	140	160	180	200		33000
0	120	144	168	192	216	240		37640
0	180	210	240	270	300	330		43500

MODEL SER-50

MODEL	HP	Stage	Out Let Size Inch
SER-50	3.0	6	2"
SER-50	4.0	8	2"
SER-50	5.0	10	2"
SER-50	6.0	12	2"
SER-50	7.5	14	2"
SER-50	7.5	15	2"
SER-50	7.5	16	2"
SER-50	10.0	20	2"
SER-50	12.5	24	2"
SER-50	12.5	25	2"
SER-50	15.0	30	2"
SER-50	17.5	35	2"
?SER-50	20.0	40	2"

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	300	250	230	190	150	110	90	
0	30	36	42	48	54	60		21200
0	40	48	56	64	72	80		23100
0	50	60	70	80	90	100		25000
0	60	72	84	96	108	120		26900
0	70	84	98	112	126	140		28800
0	75	90	105	120	135	150		29500
0	96	112	128	144	160	176		30200
0	100	120	140	160	180	200		34840
0	110	132	154	176	198	220		39300
0	125	150	175	200	225	250		40000
0	150	180	210	240	270	300		44940
0	175	210	245	280	315	350		50980
0	200	240	280	320	360	400		55890

Mixed Flow

V6 to V8 Submersible Pumpset

V6 Motor to V8 Pump
SUITABLE FOR 200mm BOREWELL OR ABOVE (Min. Bore Dia. 200mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 410 IMPELLER



MODEL SEM-6/8 - 300			
MODEL	HP	Stage	Out Let Size Inch
SEM-6/8 300	6.0	2	3" & 4"
SEM-6/8 300	10.0	3	3" & 4"
SEM-6/8 300	12.5	4	3" & 4"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	1100	900	800	750	680	580	450	00	
15	20	24	26	28	30	32	35		23240
22	36	38	40	42	44	47	53		27567
30	48	50	53	56	59	61	70		31157

MODEL SEM-6/8 - 400			
MODEL	HP	Stage	Out Let Size Inch
SEM-6/8 400	7.5	2	3" & 4"
SEM-6/8 400	12.5	3	3" & 4"
SEM-6/8 400	15.0	4	3" & 4"
SEM-6/8 400	20.0	5	3" & 4"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	1240	1150	1010	900	820	750	630	00	
20	22	25	28	30	32	34	38		23793
30	35	39	42	45	47	50	56		29235
40	45	50	53	57	60	64	75		32588
50	55	65	70	73	76	80	93		38462

MODEL SEM-6/8 - 500			
MODEL	HP	Stage	Out Let Size Inch
SEM-6/8 400	10.0	2	3" & 4"
SEM-6/8 400	15.0	3	3" & 4"
SEM-6/8 400	20.0	4	3" & 4"
SEM-6/8 400	25.0	5	3" & 4"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	1400	1260	1180	1100	1000	900	750	00	
20	24	28	30	32	34	36	42		25645
30	36	40	43	46	48	52	63		30666
40	48	51	53	58	62	66	84		36541
50	60	66	70	74	78	82	104		41633

MODEL SEM-6/8 - 600			
MODEL	HP	Stage	Out Let Size Inch
SEM-6/8 600	12.5	2	3" & 4"
SEM-6/8 600	25.0	4	3" & 4"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	1800	1500	1360	1250	1100	1000	900	00	
21	25	29	31	33	35	40	43		27314
41	49	52	54	59	63	67	85		39711

MODEL SEM-6/8 - 700			
MODEL	HP	Stage	Out Let Size Inch
SEM-6/8 700	15.0	2	3" & 4"
SEM-6/8 700	20.0	3	3" & 4"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	2100	1900	1600	1500	1400	1300	1230	00	
22	26	30	32	34	36	41	44		28745
42	50	52	55	59	60	67	86		34619

Mixed Flow

V6 Motor
to
V7 Pump

V6 to V7 Submersible Pumpset

SUITABLE FOR 175mm BOREWELL OR ABOVE (Min. Bore Dia. 175mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply

PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 410 IMPELLER

MODEL SEM-6/7 - 250				Discharge in LPM								Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	950	850	780	720	600	520	400	00	
SEM-6/7 250	7.5	3	3" & 4"	22	27	30	33	37	41	44	53	24230
SEM-6/7 250	10.0	4	3" & 4"	32	36	40	44	48	52	56	68	27790
SEM-6/7 250	12.5	5	3" & 4"	40	46	50	55	61	66	71	86	31190

MODEL SEM-6/7 - 300				Discharge in LPM								Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	1100	1000	920	800	720	650	500	00	
SEM-6/7 300	6.0	2	3" & 4"	12	17	18	20	21	22	25	35	22000
SEM-6/7 300	10.0	3	3" & 4"	20	28	30	32	34	36	40	53	26060
SEM-6/7 300	12.5	4	3" & 4"	25	35	40	44	47	52	55	70	29460
SEM-6/7 300	15.0	5	3" & 4"	32	42	47	52	56	60	66	88	32620

MODEL SEM-6/7 - 400				Discharge in LPM								Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	1260	1150	1070	950	870	800	600	00	
SEM-6/7 400	7.5	2	3" & 4"	15	19	24	22	24	26	29	37	22500
SEM-6/7 400	12.5	3	3" & 4"	24	30	35	37	40	42	48	54	27730
SEM-6/7 400	15.0	4	3" & 4"	33	38	42	46	50	54	60	72	30890
SEM-6/7 400	20.0	5	3" & 4"	42	53	58	63	67	72	78	90	36580
SEM-6/7 400	25.0	6	3" & 4"	52	62	68	75	83	86	92	106	41480

MODEL SEM-6/7 - 500				Discharge in LPM								Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	1330	1260	1150	1050	980	920	700	00	
SEM-6/7 500	10.0	2	3" & 4"	16	19	21	23	26	27	30	39	24330
SEM-6/7 500	15.0	3	3" & 4"	25	31	36	38	41	43	49	55	29160
SEM-6/7 500	20.0	4	3" & 4"	34	39	43	48	52	55	62	73	34840
SEM-6/7 500	25.0	5	3" & 4"	43	54	59	64	68	73	78	91	39750



Radial Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply

PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 202 FEB. IMPELLER

MODEL SER-60				Discharge in LPM							Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	400	280	250	210	180	140	100	
SER-60	3.0	5	2"	0	30	35	40	45	50	57	19100
SER-60	4.0	6	2"	0	36	42	48	54	60	68	20300
SER-60	5.0	8	2"	0	48	56	64	72	80	90	23600
SER-60	6.0	10	2"	0	60	70	80	90	100	110	25500
SER-60	7.5	12	2"	0	72	84	96	108	120	132	27400
SER-60	10.0	16	2"	0	96	112	128	144	160	176	32040
SER-60	12.5	20	2"	0	120	140	160	180	200	220	36500
SER-60	15	24	2"	0	144	168	192	216	240	265	40740
SER-60	17.5	30	2"	0	180	210	240	270	300	330	47480
SER-60	20.0	35	2"	0	210	240	280	315	350	385	52390

MODEL SER-70				Discharge in LPM							Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	380	300	260	240	200	160	0	
SER-70	5.0	7	2"	0	36	46	56	63	70	77	22900
SER-70	10.0	14	2"	0	84	98	112	126	140	154	30640
SER-70	12.5	18	2"	0	108	126	144	160	180	198	35100
SER-70	15.0	20	2"	0	120	140	160	180	200	220	37940
SER-70	17.5	25	2"	0	150	175	200	225	250	275	43980
SER-70	20.0	30	2"	0	180	210	240	270	300	330	48890

MODEL SER-80				Discharge in LPM							Price(Rs.) PUMP SET
MODEL	HP	Stage	Out Let Size Inch	425	340	300	280	230	190	130	
SER-80	3.0	4	2"	0	24	28	32	36	40	44	19800
SER-80	4.0	5	2"	0	25	30	35	40	45	55	21000
SER-80	5.0	6	2"	0	36	42	48	54	60	66	22200
SER-80	6.0	8	2"	0	48	56	64	72	80	88	24100
SER-80	7.5	10	2"	0	60	70	80	90	100	110	26000
SER-80	10.0	12	2"	0	72	84	96	108	120	132	29240
SER-80	12.5	15	2"	0	90	105	120	135	150	165	33000
SER-80	15.0	18	2"	0	108	126	144	162	180	198	36540
SER-80	17.5	22	2"	0	132	154	176	198	220	242	41880
SER-80	20.0	25	2"	0	150	175	200	225	250	275	45390



Mixed Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 410 IMPELLER



MODEL SEM-200 (302)			
MODEL	HP	Stage	Out Let Size Inch
SEM-200	6.0	3	3"
SEM-200	7.5	4	3"
SEM-200	10.0	5	3"
SEM-200	12.5	6	3"
SEM-200	15.0	7	3"
SEM-200	17.5	8	3"
SEM-200	20.0	10	3"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	1200	910	860	800	720	640	470	00	
0	18	21	24	27	30	37	46		21710
0	24	28	32	36	40	50	51		23330
0	30	35	40	45	50	62	77		26290
0	36	42	48	54	60	75	92		29080
0	42	49	56	63	70	87	107		31630
0	48	56	64	72	80	100	122		35290
0	60	72	80	90	100	125	163		38950

MODEL SEM-250 (H.H.F)			
MODEL	HP	Stage	Out Let Size Inch
SEM-250	5.0	2	3"
SEM-250	7.5	3	3"
SEM-250	10.0	4	3"
SEM-250	12.5	5	3"
SEM-250	15.0	6	3"
SEM-250	17.5	7	3"
SEM-250	20.0	8	3"

Head in Meter	Discharge in LPM								Price(Rs.) PUMP SET
	1350	1050	1000	900	830	730	450	00	
0	12	14	16	18	20	23	29		20090
0	18	21	24	27	30	35	43		22210
0	24	28	32	36	40	47	57		25170
0	30	35	40	45	50	58	72		27960
0	36	42	48	54	60	70	86		30510
0	42	49	55	63	70	81	100		34170
0	48	56	64	72	80	93	115		36710



Radial Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
PUMP SETS SUPPLY WITH S.S. 304 BOWEL & S.S. 410 IMPELLER(50 FEET HEAD SERIES)



MODEL SEM-60			
MODEL	HP	Stage	Out Let Size Inch
SER-60	3.0	5	2.0"
SER-60	4.0	6	2.0"
SER-60	5.0	8	2.0"
SER-60	6.0	10	2.0"
SER-60	7.5	12	2.0"
SER-60	10.0	16	2.0"
SER-60	12.5	20	2.0"
SER-60	15.0	24	2.0"

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	220	200	165	150	135	65	10		
30	40	55	60	65	70	75		12650	27850
36	48	66	72	78	84	90		14020	29720
48	64	88	96	104	112	120		16760	32960
60	80	110	120	130	140	150		19500	36200
72	96	132	144	156	168	180		22240	39440
96	128	176	192	208	224	240		27720	46760
120	160	220	240	260	280	300		33200	53900
144	192	264	288	312	336	360		38680	60820

MODEL SER-80			
MODEL	HP	Stage	Out Let Size Inch
SER-80	3.0	4	2.0"
SER-80	4.0	5	2.0"
SER-80	5.0	6	2.0"
SER-80	6.0	8	2.0"
SER-80	7.5	10	2.0"
SER-80	10.0	12	2.0"
SER-80	12.5	15	2.0"
SER-80	15.0	18	2.0"

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	265	245	210	195	175	85	10		
24	32	44	48	52	56	60		11280	26480
30	40	55	60	65	70	75		12650	28350
36	48	66	72	78	84	90		14020	30220
48	64	88	96	104	112	120		16760	33460
60	80	110	120	130	140	150		19500	36700
72	95	132	144	156	168	180		22240	41280
90	120	165	180	195	210	225		26350	47050
108	144	198	216	234	252	270		30460	52600

MODEL SER-100			
MODEL	HP	Stage	Out Let Size Inch
SER-100	3.0	3	2.0"
SER-100	4.0	4	2.0"
SER-100	5.0	5	2.0"
SER-100	6.0	6	2.0"
SER-100	7.5	8	2.0"
SER-100	10.0	10	2.0"
SER-100	12.5	12	2.0"
SER-100	15.0	15	2.0"
SER-100	17.5	18	2.0"
SER-100	20.0	20	2.0"

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	345	320	270	250	230	110	10		
18	24	33	36	39	42	45		9910	25110
24	32	44	48	52	56	60		11280	26980
30	40	55	60	65	70	75		12650	28850
36	48	66	72	78	84	90		14020	30720
48	64	88	96	104	112	120		16760	33960
60	80	110	120	130	140	150		19500	38540
72	96	132	144	156	168	180		22240	42940
90	120	165	180	195	210	225		26350	48490
108	144	198	216	234	252	270		30460	55140
120	160	220	240	260	280	300		33200	59290

Radial Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply

PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 202 FEB. IMPELLER



MODEL SER-100			
MODEL	HP	Stage	Out Let Size Inch
SER-100	3.0	3	2"
SER-100	4.0	4	2"
SER-100	5.0	5	2"
SER-100	6.0	6	2"
SER-100	7.5	8	2"
SER-100	10.0	10	2"
SER-100	12.5	12	2"
SER-100	15.0	15	2"
SER-100	17.5	18	2"
SER-100	20.0	20	2"

	Discharge in LPM							Price(Rs.) PUMP SET
	500	450	400	345	310	260	180	
Head in Meter	0	18	21	24	27	30	33	19100
	0	24	28	32	36	40	44	20300
	0	30	35	40	45	50	55	21500
	0	36	48	48	54	60	66	22700
	0	48	56	64	72	80	88	24600
	0	60	70	80	90	100	110	27840
	0	72	84	96	108	120	132	30900
	0	90	105	120	135	150	165	34440
	0	108	126	144	162	180	198	39080
	0	120	140	160	180	200	220	41890



Mixed Flow

H.H.F. Series

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply

PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 410 IMPELLER



MODEL SEM-100			
MODEL	HP	Stage	Out Let Size Inch
SEM-100	3.0	3	2.5"
SEM-100	4.0	4	2.5"
SEM-100	5.0	5	2.5"
SEM-100	6.0	6	2.5"
SEM-100	7.5	8	2.5"
SEM-100	10.0	10	2.5"
SEM-100	12.5	12	2.5"
SEM-100	15.0	15	2.5"
SEM-100	17.5	18	2.5"
SEM-100	20.0	20	2.5"
SEM-100	25.0	25	2.5"

	Discharge in LPM								Price(Rs.) PUMP SET
	820	600	510	480	330	230	150	00	
Head in Meter	0	18	21	24	30	33	36	40	20210
	0	24	28	32	40	44	48	54	21830
	0	30	35	40	50	55	60	68	23460
	0	36	42	50	60	66	72	81	25080
	0	48	56	66	80	88	96	108	27820
	0	60	70	80	100	110	120	135	31900
	0	72	84	96	120	132	144	162	35810
	0	90	105	120	150	165	180	200	40600
	0	108	126	144	167	180	198	234	46510
	0	120	140	160	200	220	240	270	50170
	0	150	175	200	250	275	300	337	58950

MODEL SEM-125			
MODEL	HP	Stage	Out Let Size Inch
SEM-125	5.0	4	2.5"
SEM-125	6.0	5	2.5"
SEM-125	7.5	6	2.5"
SEM-125	10.0	8	2.5"
SEM-125	12.5	10	2.5"
SEM-125	15.0	12	2.5"
SEM-125	17.5	14	2.5"
SEM-125	20.0	16	2.5"
SEM-125	25.0	20	2.5"

	Discharge in LPM								Price(Rs.) PUMP SET
	900	670	600	500	420	340	215	00	
Head in Meter	0	24	28	32	40	44	48	56	22330
	0	30	35	40	50	55	60	70	23960
	0	36	42	48	60	66	72	84	25578
	0	48	56	64	80	88	96	112	29650
	0	60	70	80	100	110	120	140	33560
	0	72	84	96	120	132	144	168	37240
	0	84	98	112	140	154	168	196	42020
	0	96	112	128	160	176	192	224	45680
	0	120	140	160	200	220	240	280	53340

MODEL SER-150			
MODEL	HP	Stage	Out Let Size Inch
SEM-150	5.0	3	2.5"
SEM-150	6.0	4	2.5"
SEM-150	7.5	5	2.5"
SEM-150	10.0	6	2.5"
SEM-150	10.0	7	2.5"
SEM-150	12.5	8	2.5"
SEM-150	15.0	10	2.5"
SEM-150	17.5	12	2.5"
SEM-150	20.0	14	2.5"
SEM-150	25.0	16	2.5"

	Discharge in LPM								Price(Rs.) PUMP SET
	1000	770	700	640	580	250	130	00	
Head in Meter	0	18	21	24	27	36	38	43	21210
	0	24	28	32	36	48	60	57	22830
	0	30	35	40	45	60	62	65	24460
	0	36	42	48	54	72	75	85	27410
	0	42	41	56	63	84	87	98	28530
	0	48	56	64	72	96	100	114	31320
	0	60	70	80	90	120	125	142	34990
	0	72	84	96	108	144	150	170	39780
	0	84	98	112	126	168	175	200	43440
	0	96	112	128	145	192	200	228	48850

Radial Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
PUMP SETS SUPPLY WITH S.S. 304 BOWEL & S.S. 410 IMPELLER(50 FEET HEAD SERIES)



MODEL SER-125			
MODEL	HP	Stage	Out Let Size Inch
SER-125	4.0	3	2.5"
SER-125	5.0	4	2.5"
SER-125	6.0	5	2.5"
SER-125	7.5	6	2.5"
SER-125	10.0	8	2.5"
SER-125	12.5	10	2.5"
SER-125	15.0	12	2.5"
SER-125	17.5	14	2.5"
SER-125	20.0	16	2.5"

Discharge in LPM								Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
450	415	355	330	305	150	20			
18	24	33	36	39	42	45		9910	25610
24	32	44	48	52	56	60		11280	27480
30	40	55	60	65	70	75		12650	29350
36	48	66	72	78	84	90		14020	31220
48	64	88	96	104	112	120		16760	35800
60	80	110	120	130	140	150		19500	40200
72	96	132	144	156	168	180		22240	44380
84	112	154	168	182	196	210		24980	49660
96	128	176	192	208	224	240		27720	53810

MODEL SER-150			
MODEL	HP	Stage	Out Let Size Inch
SER-150	5.0	3	2.5"
SER-150	6.0	4	2.5"
SER-150	7.5	5	2.5"
SER-150	10.0	6	2.5"
SER-150	12.5	8	2.5"
SER-150	15.0	10	2.5"
SER-150	17.5	12	2.5"
SER-150	20.0	13	2.5"

Discharge in LPM								Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
520	480	420	390	350	170	20			
18	24	33	36	39	42	45		9910	26110
24	32	44	48	52	56	60		11280	27980
30	40	55	60	65	70	75		12650	29850
36	48	66	72	78	84	90		14020	33060
48	64	88	96	104	112	120		16760	37460
60	80	110	120	130	140	150		19500	41640
72	96	132	144	156	168	180		22240	46920
84	112	154	168	182	196	210		23610	49700

MODEL SER-200			
MODEL	HP	Stage	Out Let Size Inch
SER-200	6.0	3	2.5"
SER-200	7.5	4	2.5"
SER-200	10.0	5	2.5"
SER-200	12.5	6	2.5"
SER-200	15.0	8	2.5"
SER-200	17.5	9	2.5"
SER-200	20.0	10	2.5"

Discharge in LPM								Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
645	600	520	480	430	210	20			
18	24	33	36	39	42	45		9910	26610
24	32	44	48	52	56	60		11280	28480
30	40	55	60	65	70	75		12650	31690
36	48	66	72	78	84	90		14020	34720
48	64	88	96	104	112	120		16760	38900
54	72	96	108	117	126	135		18130	42810
60	80	110	120	130	140	150		19500	45590

Mixed Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
PUMP SETS SUPPLY WITH C.I. BOWEL & S.S. 410 IMPELLER



MODEL SEM-100 (262)			
MODEL	HP	Stage	Out Let Size Inch
SEM-100	3.0	3	2.5"
SEM-100	4.0	4	2.5"
SEM-100	5.0	5	2.5"
SEM-100	6.0	6	2.5"
SEM-100	7.5	8	2.5"
SEM-100	10.0	10	2.5"
SEM-100	12.5	12	2.5"
SEM-100	15.0	15	2.5"
SEM-100	17.5	18	2.5"
SEM-100	20.0	20	2.5"

Discharge in LPM								Price(Rs.) PUMP SET
700	575	475	400	300	250	00		
0	15	18	21	24	27	30		19200
0	20	24	28	32	36	40		20670
0	25	30	35	40	45	50		22140
0	30	36	42	50	54	60		23610
0	40	48	56	66	72	80		26050
0	50	60	70	80	90	100		29830
0	60	72	84	96	108	120		33430
0	75	90	105	120	135	150		37780
0	90	108	126	144	162	180		43230
0	100	120	140	160	180	200		46580

MODEL SEM-125 (262)			
MODEL	HP	Stage	Out Let Size Inch
SEM-125	4.0	3	2.5"
SEM-125	5.0	4	2.5"
SEM-125	6.0	5	2.5"
SEM-125	7.5	6	2.5"
SEM-125	10.0	8	2.5"
SEM-125	12.5	10	2.5"
SEM-125	15.0	12	2.5"
SEM-125	17.5	14	2.5"
SEM-125	20.0	16	2.5"

Discharge in LPM								Price(Rs.) PUMP SET
900	750	650	500	375	300	00		
0	15	18	21	24	27	30		19700
0	20	24	28	32	36	44		21170
0	25	30	35	40	45	55		22640
0	30	36	42	48	54	60		24110
0	40	48	56	64	72	80		27890
0	50	60	70	80	90	100		31490
0	60	72	84	96	108	120		34870
0	70	84	98	112	126	140		39350
0	80	96	112	128	144	160		42700

MODEL SER-150 (271)			
MODEL	HP	Stage	Out Let Size Inch
SEM-150	5.0	3	2.5"
SEM-150	6.0	4	2.5"
SEM-150	7.5	5	2.5"
SEM-150	10.0	6	2.5"
SEM-150	12.5	8	2.5"
SEM-150	15.0	10	2.5"
SEM-150	17.5	12	2.5"
SEM-150	20.0	14	2.5"

Discharge in LPM								Price(Rs.) PUMP SET
1000	800	725	625	500	350	00		
0	15	18	21	24	27	36		21000
0	20	24	28	32	36	48		22470
0	25	30	35	40	45	22		23940
0	30	36	42	54	60	66		26750
0	40	48	56	64	72	88		30350
0	50	60	70	80	90	110		33730
0	60	72	84	96	108	120		38210
0	70	84	98	112	126	154		41560